

# **MATERIAL SAFETY DATA SHEET (MSDS)**

# **SECTION 1: Identification**

1.1 Product identifiers

Product Name: 4-Bromofluorobenzene

Cat No.: AC107010000; AC107010100; AC107011000; AC107015000

**CAS No.:** 460-00-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Laboratory chemicals

**Uses advised against:** Food, drug, pesticide or biocidal product use.

1.3 Details of the supplier of the safety data sheet

**Company:** Krishna Solvechem Limited.

B/503, Shayog, S. V. Road,

Kandivali (West), Mumbai – 400067. India.

**Telephone:** +91-22-6123 0222

**Email:** exports@kscl.co.in

1.4 Emergency telephone number

**Emergency Phone :** +91-8657457330

# **SECTION 2: Hazards identification**

### 2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	(Category 3)	
Acute dermal toxicity	(Category 4)	
Acute Inhalation toxicity – vapors	(Category 4)	
Skin Corrosion/Irritation	(Category 2)	
Serious Eye Damage/Eye Irritation	(Category 2)	
Specific target organ toxicity (single exposure)	(Category 3)	
Target Organs - Respiratory system.		

2.2 Label elements

Pictogram:

**(1)** 

Signal word Warnin

Hazard statement (s) Flammable liquid and vapor



Causes skin irritation
Causes serious eye irritation
Harmful in contact with skin
Harmful if inhaled
May cause respiratory irritation

Precautionary statement (s)

Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting/equipment
Use only non-sparking tools

Take precautionary measures against static discharge Keep cool

#### Inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

## IF ON SKIN (or hair):

If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Eyes:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up



Disposal:

Dispose of contents/container to an approved waste disposal

plant

Hazards not otherwise classified (HNOC)

None identified

# **SECTION 3: Composition / information on ingredients**

#### 3.1

Component	CAS-No	Weight %
Benzene, 1-bromo-4-fluoro-	460-00-	>95
	4	

SECT	ON 4:	First aid	measures

4.1	Description of first aid measures

	•	
	General Advice:	If symptoms persist, call a physician.
	If inhalation :	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
	In case of skin contact:	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
	In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
	Ingestion:	Clean mouth with water and drink afterwards plenty of water.
4.2	Most important symptoms and effects :	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
4.3	Notes to Physician :	Treat symptomatically

# **SECTION 5: Firefighting effects**

# 5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-

resistant foam. Water mist may be used to cool closed

containers.

**Unsuitable Extinguishing** 

Media::

Do not use a solid water stream as it may scatter and spread fire

**5.2** Flash Point : 53 °C / 127.4 °F

Method :

No information available



> 350 °C / > 662 °F **Autoignition Temperature:** 

**Explosion Limits:** 

**Sensitivity to Static** 

Upper No data available No data available Lower

**Sensitivity to Mechanical** 

**Impact** 

Discharge

Flammable. Vapors may form explosive mixtures with air.

the Chemical:

**Specific Hazards Arising from** Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form

explosive mixtures with air.

No information available

No information available

**Hazardous Combustion** 

**Products:** 

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen halides.

Gaseous hydrogen fluoride (HF)

5.4 **Protective Equipment and** 

**Precautions for Firefighters:** 

As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

Health	Flammability	Instability	Physical hazards
2	2	0	N/A

**NFPA:** 

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges

#### 6.2 **Environmental precautions**

Should not be released into the environment. See section 12 for additional Ecological Information.

#### 6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take



precautionary measures against static discharges.

### 7.2 Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

### 8.2 Exposure controls

#### Personal protective equipment -

#### Eye / Face protection

Tight sealing safety goggles. Face protection shield.

# Skin protection and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### **Respiratory protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European StandardEN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice..

	SECTION 9: Physical and chemical properties					
9.1	Information on basic physical and chemical properties					
	a) Appearance Form: Colorless Liquid					
	b) Odour Aromatic					
	c) Odour Threshold No information available					
	d) pH 7 sat sol					
	e) Melting point / freezing point	-8 °C / 17.6 °F				
	f) Initial boiling point and	150 - 153 °C / 302 - 307.4 °F @ 760 mmHg				



boiling range	
g) Flash point	53 °C / 127.4 °F
h) Evaporation rate	No information available
i) Flammability (solid, gas)	Not applicable
j) Upper/lower	No data available
flammability or	No data available
explosive limits	
k) Vapour pressure	3.7 mmHg @ 20 °C
l) Vapour density	5.6
m) Specific Gravity	1.593
n) Solubility	Slightly soluble in water
o) Partition coefficient: n octanol/water	No data available
p) Auto-ignition	>350 °C / >662 °F
temperature	
q) Decomposition	No information available
temperature	
r) Viscosity	No information available
s) Molecular formula	C6 H4 Br F
t) Molecular Weight	175

	SECTION 10: Stability and Reactivity				
10.1	Reactive Hazard :	None known, based on information available			
10.2	Chemical stability:	Stable under normal conditions.			
10.3	Possibility of hazardous reactions :	None under normal processing.			
10.4	Conditions to avoid:	Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Incompatible products.			
10.5	Incompatible materials:	Strong oxidizing agents, Strong bases, Strong acids			
10.6	Hazardous decomposition products:	Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen halides, Gaseous hydrogen fluoride (HF)			
10.7	Hazardous Polymerization	Hazardous polymerization does not occur			



# **SECTION 11: Toxicological information**

#### 11.1

Information on toxicological effects

**Acute toxicity:** 

**Product Information:** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Benzene, 1-bromo-	LD50 = 2700 mg/kg	>5000 mg/kg (	LC50 = 18 mg/L ( Rat
4-fluoro-	( Rat )	Rabbit )	) 4 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation :** No information available

**Sensitization:** No information available

**Carcinogenicity:** The table below indicates whether each agency ha

Any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Benzene, 1-	460-00-	Not listed	Not	Not listed	Not listed	Not listed
bromo-4-	4		listed			
fluoro-						
Mutagenic Effe	ects:		No infor	mation availabl	le.	
Reproductive E	ffects:		No infor	mation availabl	le.	
Developmenta	l Effects :		No infor	mation availabl	le.	
Teratogenicity			No infor	mation availab	le.	
STOT - single ex	xposure :	e: Respiratory system				
STOT - repeated exposure: None known						
Aspiration haza	ard:		No infor	mation availabl	le.	
Symptoms / effects,both acute and delayed:  Inhalation of high vapor concentrations may call symptoms like headache, dizziness, tiredness, rand vomiting			="			
Endocrine Disruptor Information :			No information available			
Other Adverse Effects :			The toxicological properties have not been fully investigated.			



SECTION	12: Ecol	ogical i	inform	ation
		obioai i		a

#### 12.1

### **Ecotoxicity:**

Component	Freshwater	Freshwater	Microtox	Water Flea	
	Algae	Fish			
Benzene, 1-bromo-4-	Not listed	Not listed	EC50 = 23.1 mg/L 5	Not listed	
fluoro-			min		
			EC50 = 24.2 mg/L		
			15 min		
			EC50 = 29.0 mg/L		
			30 min		

**12.2 Persistence and degradability:** Soluble in water Persistence is unlikely based on information

Available.

Bioaccumulation/

No information available

Accumulation

12.3 Mobility:

Will likely be mobile in the environment due to its volatility.

# **SECTION 13: Disposal considerations**

**13.1 Waste treatment methods:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: Transport information**

14.1 UN number:

DOT: UN1993 TDG: UN1993 IMDG: UN1993

14.2 UN proper shipping name

**DOT:** Flammable liquid, n. o. s.

**TDG:** Flammable liquid, n. o. s.

IMDG: Flammable liquid, n. o. s.

IATA: Flammable liquid, n. o. s.

**14.3 Transport hazard class(es)** DOT: 3 TDG: 3 IMDG: 3 IATA: 3

**14.4 Packaging group:** DOT: III TDG: III IMDG: III IATA: III

# **SECTION 15: Regulatory information**

#### 15.1 United states of America Inventory:

Component	CAS-No	TSCA	TSCA Inventory notification Active/Inactive	TSCA - EPA Regulatory Flags
Benzene, 1-	460-00-	X	ACTIVE	SP, TP
bromo-4-fluoro-	4			

Legend:



**TSCA** - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

SP – Indicates a substance that is identified in a proposed SNUR

TSCA 12(b) - Notices of Export Section 5

#### **International Inventories:**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzene, 1-	460-00-	-	Χ	207-300-2	Χ	X	Х	Х	Х	-
bromo-4-	4									
fluoro-										

# **U.S. Federal Regulations**

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

**Health Administration** 

Not applicable

**CERCLA** Not applicable

California Proposition 65 This product does not contain any

Proposition 65chemicals.

# 15.2 U.S. State Right-to-Know Regulations:

Not applicable

### **U.S.** Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N



**U.S. Department of Homeland** - This product does not contain the any DHS Chemicals. **Security** 

### **Other International Regulations**

Mexico – Grade No information available

Safety, health and environmental regulations/legislation specific for the substance or mixture

			,,		
Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of Hazardous
			Pollutant	Potential	Substances
					(RoHS)
Benzene, 1-	460-00-4	Listed	Not applicable	Not applicable	Not applicable
bromo-4-fluoro-					
					<u>.                                      </u>
Component	CAS No	Seveso III	Seveso III	Rotterdam	Basel
		Directive	Directive	Convention	Convention
		(2012/18/EC) -	(2012/18/EC) -	(PIC)	(Hazardous
		Qualifying	Qualifying		Waste)
		Quantitiesfor	Quantitiesfor		
		Major Accident	Safety Report		
		Notification	Requirements		
Benzene, 1-	460-00-4	Not applicable	Not applicable	Not applicable	Annex I - Y45

# **SECTION 16: Other information**

**16.1 Prepared By:** Regulatory affairs

Krishna Solvechem

Limited

**Email:** exports@kscl.co.in

Creation Date: 17-Oct-2013
Revision Date: 24-Dec-2021
Print Date: 24-Dec-2021

**Revision Summary:** This document has been updated to comply with the US OSHA

HazCom 2012 Standard replacing the current legislation under 29 C FR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### 16.2 Disclaimer:

bromo-4-fluoro-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.