

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification

1.1 Product identifiers

Product Name: Isobutyl chloride

Cat No.: L04181
CAS No.: 513-36-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Laboratory chemicals

Uses advised against: Food, drug, pesticide or biocidal product use.

1.3 Details of the supplier of the safety data sheet

Company: Krishna Solvechem Limited.

B/503, Sahayog, S. V. Road,

Kandivali (West), Mumbai – 400067. India.

Telephone: +91-22-6123 0222

Email: exports@kscl.co.in

1.4 Emergency telephone number

Emergency Phone : +91-8657457330

SECTION 2: Hazards identification

2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids (Category 2)

2.2 Label elements

Pictogram:





Signal word Danger

Hazard statement (s) Highly flammable liquid and vapor



Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

Precautionary statement (s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

IF ON SKIN (or hair):

If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage:

Store locked up Store in a well-ventilated place. Keep container tightly closed Keep cool

Disposal:

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified



SECTION 3: Composition / information on ingredients						
3.1						
Component	CAS-No	Weight %				
Isobutyl chloride	513-36-0	<=100				

	SECTION 4: First aid measures						
4.1	Description of first aid measures						
	General Advice: If symptoms persist, call a physician.						
	If inhalation :	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.					
	In case of skin contact:	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.					
	In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.					
	Ingestion:	Clean mouth with water and drink afterwards plenty of water.					
4.2	Most important symptoms and effects :	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting					
4.3	Notes to Physician:	Treat symptomatically					

SECTION 5: Firefighting effects

5.1 Extinguishing media

Suitable extinguishing media Water mist may be used to cool closed containers.

Unsuitable Extinguishing

Media::

No information available

5.2 Flash Point : -7 °C / 19.4 °F

Method: No information available



Autoignition Temperature: 395 °C / 743 °F

Explosion Limits:

Upper 8.80% **Lower** 2.00%

Sensitivity to Mechanical

Impact

No information available

Sensitivity to Static

Discharge

No information available

Specific Hazards Arising from

the Chemical:

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of

ignition and flash back.

Hazardous Combustion

Products:

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride

5.4 Protective Equipment and As i

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

NFPA:

Health	Flammability	Instability	Physical hazards
2	3	0	N/A
_			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.



7.2 Conditions for safe storage

Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1 Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

8.2 Exposure controls

Personal protective equipment -

Eye / Face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European StandardEN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice..

	SECTION 9: Physical and chemical properties					
9.1	Information on basic physical and chemical properties					
	a) Appearance Colorless Liquid					
	b) Odour Strong					
	c) Odour Threshold No information available					
	d) pH	Not applicable				
	e) Melting point / freezing point	-131 °C / -203.8 °F				
	f) Initial boiling point and	68 - 69 °C / 154.4 - 156.2 °F @ 760 mmHg				



boiling range	
g) Flash point	-7 °C / 19.4 °F
h) Evaporation rate	No information available
i) Flammability (solid, gas)	Not applicable
j) Upper/lower	Upper : 8.80%
flammability or	Lower : 2.00%
explosive limits	
k) Vapour pressure	120 mmHg @ 20 °C
l) Vapour density	3.19
m) Specific Gravity	0.8830
n) Solubility	Insoluble in water
o) Partition coefficient: n octanol/water	No data available
p) Auto-ignition	395 °C / 743 °F
temperature	
q) Decomposition	No information available
temperature	
r) Viscosity	No information available
s) Molecular formula	C4 H9 Cl
t) Molecular Weight	92.57

SECTION 10: Stability and Reactivity					
Reactive Hazard :	None known, based on information available				
Chemical stability:	Stable under normal conditions.				
Possibility of hazardous reactions :	None under normal processing.				
Conditions to avoid :	Keep away from open flames, hot surfaces and sources of ignition.				
Incompatible materials:	Strong oxidizing agents				
Hazardous decomposition products :	Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride				
Hazardous Polymerization	Hazardous polymerization does not occur				
	Reactive Hazard: Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products:				



SECTION 11: Toxicological information

11.1

Information on toxicological effects

Acute toxicity:

Product Information: Component Information

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation : No information available

Sensitization: No information available

Carcinogenicity: The table below indicates whether each agency ha

Any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Isobutyl	513-36-	Not listed	Not	Not listed	Not listed	Not listed
chloride	0		listed			

Mutagenic Effects:	No information available.
Reproductive Effects:	No information available.
Developmental Effects :	No information available.
Teratogenicity:	No information available.
STOT - single exposure :	None known
STOT - repeated exposure:	None known
Aspiration hazard :	No information available.
Symptoms / effects,both acute and delayed:	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information :	No information available
Other Adverse Effects :	The toxicological properties have not been fully investigated.



	SECTION 12: Ecological information					
12.1 Ecoto	xicity:	Do not empty into drains.				
12.2 Persistence and degradability:		Persistence is unlikely based on information Available.				
	Bioaccumulation/ Accumulation	No information available				
12.3	Mobility:	Will likely be mobile in the environment due toits volatility.				

SECTION 13: Disposal considerations

13.1 Waste treatment methods: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

14.1 UN number:

DOT : UN1127 TDG : UN1127 IATA : UN1127 IMDG : UN1127

14.2 UN proper shipping name

	DOT:	CHLOROBUTANES					
	TDG:	CHLOROBUTANES					
	IMDG:	CHLOROBUTANES					
	IATA:	CHLOROBUTANES					
14.3	Transport hazard class(es)	DOT: 3	TDG: 3	IMDG: 3	IATA: 3		
14.4	Packaging group:	DOT: II TDG: II IMDG: II IATA: II					
	<u> </u>						

SECTION 15: Regulatory information

15.1 United states of America Inventory:

Component	CAS-No	TSCA	TSCA Inventory notification Active/Inactive	TSCA - EPA Regulatory Flags
Isobutyl chloride	513-36- 0	Х	ACTIVE	-

Legend:



TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories:

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Isobutyl chloride	513- 36-0	Х	-	208-157-9	Х	Х	Х	Х	-

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Not applicable

Health Administration

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65

chemicals.

15.2 U.S. State Right-to-Know Regulations:

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isobutyl chloride	X	X	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ): N



DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland - This product does not contain the any DHS Chemicals. **Security**

Other International Regulations

Mexico – Grade No information available

SECTION 16: Other information

16.1 Prepared By: Regulatory affairs

Krishna Solvechem Ltd

Email: exports@kscl.co.in

Revision Date: 19-April-2023 **Print Date:** 19-April-2023

Revision Summary: This document has been updated to comply with the US OSHA

HazCom 2012 Standard replacing the current legislation under29 C F R 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

16.2 Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.