

MATERIAL SAFETY DATA SHEET (MSDS)

| | SECTION 1: Identificatio | on | | | |
|--|--|-------------------------------|--|--|--|
| Product identifiers | | | | | |
| Product Name : | 4-Fluoroaniline | | | | |
| Cat No.: | AC119290000; AC1192902 | 250; AC119291000; AC119295000 | | | |
| CAS No. : | 371-40-4 | | | | |
| Relevant identified uses o | f the substance or mixture and | l uses advised against | | | |
| Recommended uses : | Laboratory chemicals | - | | | |
| Uses advised against: | , Food, drug, pesticide or bi | iocidal product use. | | | |
| Details of the supplier of t | he safety data sheet | | | | |
| Company : | Krishna Solvechem Limited | | | | |
| | B/503, Sahayog, S. V. Roac Kandivali (West), Mumbai | | | | |
| Telephone : | +91-22-6123 0222 | – 400007. mula. | | | |
| - | | | | | |
| Email : | exports@kscl.co.in | | | | |
| Emergency telephone nun | | | | | |
| Emergency Phone : | +91-8657457330 | | | | |
| SI | CTION 2: Hazards identifi | cation | | | |
| Classification | | | | | |
| This chemical is considere (29 CFR 1910.1200) | d hazardous by the 2012 OSHA | Hazard Communication Standard | | | |
| Flammable liquids | | (Category 4) | | | |
| Acute oral toxicity | | (Category 4) | | | |
| Skin Corrosion/Irritation | | (Category 1 B) | | | |
| Serious Eye Damage/Eye | | (Category 1) | | | |
| Specific target organ toxic | tity (single exposure) | (Category 3) | | | |
| Target Organs - Respirato | | | | | |
| Specific target organ toxic | | (Category 2) | | | |
| Target organs – Blood, Hematopoietic system | | | | | |
| Label elements Pictogram : | | | | | |
| Signal word | Danger | | | | |
| Hazard statement (s) | Causes severe skin burns a | and eye damage | | | |



| | Combustible liquid |
|--------------------------------|--|
| | Combustible liquid |
| | Harmful if swallowed |
| | May cause respiratory irritation |
| | May cause damage to organs through prolonged or repeated |
| | exposure |
| | |
| Precautionary statement (s) | |
| Prevention | |
| | Wash face, hands and any exposed skin thoroughly after |
| | handling |
| | 5 |
| | |
| | protection/face protection |
| | Avoid breathing dust/fume/gas/mist/vapors/spray |
| | Use only outdoors or in a well-ventilated area |
| | Keep away from heat/sparks/open flames/hot surfaces No |
| | smoking |
| | Keep cool |
| | Do not eat, drink or smoke when using this product |
| | Inhalation : |
| | IF INHALED: Remove victim to fresh air and keep at rest in a |
| | position comfortable for breathing Call a POISON CENTER or |
| | doctor/physician if you feel unwell |
| | IF ON SKIN (or hair): |
| | If skin irritation occurs: Get medical advice/attention |
| | IF ON SKIN (or hair): Take off immediately all contaminated |
| | clothing. Rinse skin with water/shower |
| | Wash contaminated clothing before reuse |
| | _ |
| | Eyes: |
| | IF IN EYES: Rinse cautiously with water for several minutes. |
| | Remove contact lenses, if present and easy to do. Continue |
| | rinsing If eye irritation persists: Get medical advice/attention |
| | Fire |
| | In case of fire: Use CO2, dry chemical, or foam for extinction |
| | Storage: |
| | Store locked up Store in a well-ventilated place. |
| | Keep container tightly closed |
| | Disposal: |
| | Dispose of contents/container to an approved waste disposal |
| | plant |
| | I |
| Hazards not otherwise | Very toxic to aquatic life with long lasting effects |
| classified (HNOC) | very toxic to aquatic me with long lasting cricets |



SECTION 3: Composition / information on ingredients

| 3.1 | | | | | | | | | |
|-----|--|---|----------|--|--|--|--|--|--|
| | Component | CAS-No | Weight % | | | | | | |
| | 4-Fluoroaniline | 371-40-4 | >95 | | | | | | |
| | SE | CTION 4: First aid measures | | | | | | | |
| 4.1 | Description of first aid measures | | | | | | | | |
| | General Advice: | If symptoms persist, call a phys | ician. | | | | | | |
| | If inhalation : If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a c way valve or other proper respiratory medical device. Call a physician immediately. | | | | | | | | |
| | In case of skin contact : | Wash off immediately with ple minutes. If skin irritation persis | - | | | | | | |
| | In case of eye contact : | Rinse immediately with plenty of water, also under the eyelids for at least 15 minutes. Get medical attention. | | | | | | | |
| | Ingestion : | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to anunconscious person. Call a physician immediately. | | | | | | | |
| 4.2 | Most important symptoms and effects : | Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus shouldbe investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting | | | | | | | |
| 4.3 | Notes to Physician : | Treat symptomatically | | | | | | | |
| | SE | CTION 5: Firefighting effects | ; | | | | | | |
| 5.1 | Extinguishing media | | | | | | | | |
| | Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol- : resistant foam. Water mist may be used to cool closed containers. | | | | | | | | |
| | Unsuitable Extinguishing Media: : | No information available | | | | | | | |
| 5.2 | Flash Point : Method : | 73 °C / 163.4 °F No information available | | | | | | | |



| | Autoignition Temperature: | >600 °C / >111 | 2 °F | | | |
|------------|---|---|---|--|---|--|
| | Explosion Limits: | | | | | |
| | Upper | No data available | | | | |
| | Lower | No data availat | | | | |
| | Sensitivity to Mechanical | No information | n available | | | |
| | Impact | | | | | |
| | Sensitivity to Static | No information | n available | | | |
| | Discharge | | 1 | | | |
| | Specific Hazards Arising from | | nposition can lead | | | |
| | the Chemical : | - | e product causes | = | | |
| | | | ombustible mater | | | |
| | | | Do not allow run-o | off from fire-fign | ting to enter | |
| | Herendeus Combustiers | drains or water | | anavida (CO) c | arban diavida | |
| | Hazardous Combustion | - | s (NOx). Carbon m | | | |
| | Products : | · · · · | ia. Gaseous hydro | | · · · · · · · · · · · · · · · · · · · | |
| 5.4 | Protective Equipment and | • | vear self-containe | • | | |
| | Precautions for Firefighters: | • | ind, MSHA/NIOSH | l (approved or e | quivalent) and | |
| | | full protective gear. | | | | |
| | | | T | Γ | [] | |
| | | Health | Flammability | Instability | Physical | |
| | <u>NFPA:</u> | | _ | - | hazards | |
| | | 3 | 2 | 0 | N/A | |
| | SECTION | l 6: Accidenta | l release meas | ures | | |
| 6.1 | Personal precautions, protective equipment and emergency procedures | | | | | |
| | Personal precautions, protect | ive equipment a | and emergency p | rocedures | | |
| | Personal precautions, protect Ensure adequate ventilation. L | | | | acuate | |
| | Ensure adequate ventilation. L | Ise personal pro | tective equipmen | t as required. Ev | | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep | lse personal propeople away from | tective equipmen m and upwind of | t as required. Ev spill/leak. Remo | | |
| 6.2 | Ensure adequate ventilation. L | lse personal propeople away from | tective equipmen m and upwind of | t as required. Ev spill/leak. Remo | | |
| 6.2 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions | lse personal propeople away from utionary measure | tective equipmen m and upwind of res against static | t as required. Ev spill/leak. Remo discharges. | ve all | |
| 6.2 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate | Jse personal prop people away from utionary measur r or sanitary sew | tective equipmen m and upwind of res against static ver system. Do no | t as required. Ev spill/leak. Remo discharges. t allow material | ve all to contaminate | |
| 6.2 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent | lse personal prop people away from utionary measure r or sanitary sew product from er | tective equipmen m and upwind of res against static ver system. Do no | t as required. Ev spill/leak. Remo discharges. t allow material | ve all to contaminate | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b | lse personal prop people away from utionary measur r or sanitary sew product from er e contained. | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo | t as required. Ev spill/leak. Remo discharges. t allow material | ve all to contaminate | |
| 6.2 6.3 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co | Use personal propeople away from utionary measure r or sanitary sew product from er e contained. ntainment and o | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh | ve all to contaminate ould be advised | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai | Use personal propeople away from utionary measure r or sanitary sew product from er e contained. ntainment and o | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh | ve all to contaminate ould be advised | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. | lse personal prop people away from utionary measure r or sanitary sew product from er e contained. ntainment and o ners for disposal | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up I. Soak up with ine | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent ma | ve all to contaminate ould be advised | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. | lse personal prop people away from utionary measure r or sanitary sew product from er e contained. ntainment and o ners for disposal | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent ma | ve all to contaminate ould be advised | |
| | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. | lse personal prop people away from utionary measure r or sanitary sew product from er e contained. ntainment and o ners for disposal | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up I. Soak up with ine | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent ma | ve all to contaminate ould be advised | |
| 6.3 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. | Use personal pro- people away from utionary measure r or sanitary sew product from er e contained. Intainment and of ners for disposal | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up I. Soak up with ine | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent ma | ve all to contaminate ould be advised aterial. Remove | |
| 6.3 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. SECT Precautions for safe handling Wear personal protective equi | Use personal protocopie away from people away from utionary measure r or sanitary sew product from er e contained. Itainment and co ners for disposal ION 7: Handli pment/face prot | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up I. Soak up with ine ing and storage tection. Do not ge | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent ma e | ve all to contaminate ould be advised aterial. Remove | |
| 6.3 | Ensure adequate ventilation. L personnel to safe areas. Keep sources of ignition. Take preca Environmental precautions Do not flush into surface wate ground water system. Prevent if significant spillages cannot b Methods and materials for co Keep in suitable, closed contai all sources of ignition. SECT Precautions for safe handling | Use personal pro- people away from utionary measure r or sanitary sew product from er e contained. Itainment and o ners for disposal TION 7: Handli pment/face pro- mical fume hood | tective equipmen m and upwind of res against static ver system. Do no ntering drains. Loo cleaning up I. Soak up with ine ing and storage tection. Do not ge J. Do not breathe | t as required. Ev spill/leak. Remo discharges. t allow material cal authoritiessh ert absorbent m et in eyes, on skin mist/vapors/spr | ve all to contaminate ould be advised aterial. Remove n, or on ray. Do not | |

surfaces and sources of ignition.



7.2 Conditions for safe storage

Keep away from heat, sparks and flame. Keep away from oxidizing agents. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Chloroformates. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1 Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

8.2 Exposure controls

Personal protective equipment -

Eye / Face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European StandardEN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice..

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|------------------------------|
| a) Appearance | Light orange Liquid |
| b) Odour | No information available |
| c) Odour Threshold | No information available |
| d) pH | No information available |
| e) Melting point / freezing point | -1.9 °C / 28.6 °F |
| f) Initial boiling point and | 187 °C / 368.6 °F @ 760 mmHg |



| boiling range | |
|------------------------------|--------------------------|
| g) Flash point | 73 °C / 163.4 °F |
| h) Evaporation rate | No information available |
| i) Flammability (solid, gas) | Not applicable |
| j) Upper/lower | No data available |
| flammability or | No data available |
| explosive limits | |
| k) Vapour pressure | No information available |
| l) Vapour density | No information available |
| m) Specific Gravity | 1.157 |
| n) Solubility | Soluble in water |
| o) Partition coefficient: n | No data available |
| octanol/water | |
| p) Auto-ignition | >600 °C / >1112 °F |
| temperature | |
| q) Decomposition | No information available |
| temperature | |
| r) Viscosity | No information available |
| s) Molecular formula | C6 H6 F N |
| t) Molecular Weight | 111.12 |

SECTION 10: Stability and Reactivity

| 10.1 | Reactive Hazard : | None known, based on information available |
|------|---|--|
| 10.2 | Chemical stability : | Stable under normal conditions. |
| 10.3 | Possibility of hazardous reactions : | None under normal processing. |
| 10.4 | Conditions to avoid : | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. |
| 10.5 | Incompatible materials: | Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Chloroformates, Strong bases |
| 10.6 | Hazardous decomposition products : | Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Ammonia, Gaseous hydrogen fluoride (HF) |
| 10.7 | Hazardous Polymerization | No information available |



| SECTION 11: Toxicological information | | | | | | | | | |
|--|--|--------------|---|----------------------------|------------------|---|--------------|------------------|--|
| <u>Acu</u> Proc | rmation on toxic t <u>e toxicity:</u> duct Information iponent Informat | : | fects | | | | | | |
| | nponent | | 050 Oral | | | LD50 Dermal | LC50 In | halation | |
| 4-Flu | uoroaniline | LD50 = | 417 mg/kg(I | Rat) | | Not listed | Not list | ed | |
| Тохі | icologically Syner | gistic Prod | lucts | N | o inf | formation availa | ble | | |
| | Delayed and in | nmediate o | effects as w | ell as chr | oni | c effects from s | hort and lon | g-term exposure | |
| Irritation : | | | | | s burns by all e | | es | | |
| Sensitization: Carcinogenicity : | | | | Th | e ta | ormation availa ble below indic ngredient as a ca | ates whethe | r each agency ha | |
| | Component | CAS-No | IARC | NTP | | ACGIH | OSHA | Mexico | |
| | 4-Fluoroaniline | 371-40- 4 | Not listed | Not listed | | Not listed | Not listed | Not listed | |
| | Mutagenic Effe | ects: | | No information available. | | | | | |
| | Reproductive E | ffects: | | No information available. | | | | | |
| | Developmenta | l Effects : | | No information available. | | | | | |
| | Teratogenicity | | | No information available. | | | | | |
| | STOT - single e | xposure : | | Respiratory system | | | | | |
| | STOT - repeate | d exposur | e: | Blood Hematopoietic system | | | | | |
| | Aspiration haza | ard : | | No information available. | | | | | |
| Symptoms / effects,both acute and delayed: | | | d Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptomsof overexposure may be headache, dizziness, tiredness, nausea and vomiting | | | | | | |
| | Endocrine Disr Other Adverse | | rmation : | The | toxi | mation availabl cological prope ated. | | ot been fully | |



SECTION 12: Ecological information

12.1

Ecotoxicity:

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| · · · | | | | aquatic environme | |
|---|--------------------------|---|------------------------------|---|--------------------------------------|
| Component | Freshwater Algae | | | Microtox | Water Flea |
| 4-Fluoroaniline | Not listed | LC50: 14. mg/L, 96h flow-thro Pimephal | 1 | Not listed | Not listed |
| 12.2 Persistence | and degradability | Soluble in Available. | | stence is unlikely b | ased on information |
| Bioaccumul Accumulatio | • | No inforn | nation availa | ble | |
| 12.3 Mobility: | | | be mobile i . Log Pow : 1 | n the environment 1.15 | due to its water |
| | SECTI | ON 13: Disp | osal consid | derations | |
| | d national hazardo 1. | ous waste regi | ulations to e | nsure complete an | ist also consult local d accurate |
| | SECT | ION 14: Trai | nsport info | ormation | |
| 14.1 UN number DOT : UN29 IATA : UN29 | 41 TDG : 1 41 IMDG : | JN2941 : UN2941 | | | |
| 14.2 UN proper s | hipping name | | | | |
| DOT : | FLUOROANILINES | TD | G: FL | UOROANILINES | |
| IMDG : | Fluoroanilines | IM | DG: Flu | uoroanilines | |
| 14.3 Transport h | azard class(es) | DOT: 6.1 | TDG: 6.1 | IMDG: 6.1 | IATA: 6.1 |
| 14.4 Packaging g | roup: | DOT: III | TDG: III | IMDG: III | IATA: III |
| | SECTI | ON 15: Regi | ulatory info | ormation | |
| 15.1 United state | s of America Inve | ntory: | | | |
| Compor | ient CAS- | No | TSCA | TSCA Inventory notification Active/Inactive | TSCA - EPA Regulatory Flags |
| 4-Fluoroa | niline 371-4 | 0-4 | Х | ACTIVE | - |
| Legend: | | | | 1 | |



| TSCA - Toxic Substances Control Act, (40 CFR Part 710) | | | | | | |
|---|----------------|--|--|--|--|--|
| X - Listed | | | | | | |
| '-' - Not Listed | | | | | | |
| TSCA 12(b) - Notices of Export | Not applicable | | | | | |

International Inventories:

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan(ISHL), Australia(AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|--|--------------|---------|--------------|-----------|----------------|-----------|------------|-----------|-----------|--------|
| 4-Fluoro aniline | 371- 40-4 | - | Х | 206-735-5 | X | Х | х | x | Х | KE-170 |
| U.S. Feder | al Regulat | tions | | | | | | | | |
| SARA 313 | | | | | N | ot appli | cable | | | |
| SARA 311, | /312 Haza | rd Cate | egories | | S | ee secti | on 2 for r | nore info | ormation | |
| CWA (Clea | an Water A | Act) | | | N | lot appli | cable | | | |
| Clean Air / | Act | | | | Ν | lot appli | cable | | | |
| OSHA - Oc Health Ad | | | y and | | Not applicable | | | | | |
| CERCLA | | | | | Not applicable | | | | | |
| California Proposition 65 chemicals. | | | | | oroduct (| loes not | contain | any Prop | osition 6 | 55 |
| 5.2 U.S. State | Right-to-K | now Re | egulati | ons: | | | | | | |
| Not applica | able | | | | | | | | | |
| U.S. Depa Reportable | | - | ortatic N | n | | | | | | |
| Reportable Quantity (RQ): N DOT Marine Pollutant N DOT Severe Marine Pollutant N | | | | | | | | | | |



U.S. Department of Homeland - This product does not contain the any DHS Chemicals. **Security**

| Other | International | Regulations |
|-------|---------------|-------------|
| | | |

Mexico – GradeNo information availableSafety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) | |
|---|----------|--|---|----------------------------------|---|--|
| 4- Fluoroaniline | 371-40-4 | Not applicable | Not applicable | Not applicable | Not applicable | |
| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantitiesfor Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantitiesfor Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) | |
| 4- Fluoroaniline | 371-40-4 | Not applicable | Not applicable | Not applicable | Not applicable | |
| | | SECTION 16: Ot | her informati | on | | |
| 16.1 Prepared Email: | d By: | Krishna Sol Limited | Regulatory affairs Krishna Solvechem Limited exports@kscl.co.in | | | |
| Creation Revision Print Dat Revision | Date: | 23-Mar-2012 19-Dec-2022 19-Dec-2022 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under29 C F R 1910.1200 to align with the Globally Harmonized System ofClassification and Labeling of Chemicals (GHS). | | | | |

16.2 Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.