

# **MATERIAL SAFETY DATA SHEET (MSDS)**

# **SECTION 1: Identification**

1.1 Product identifiers

Product Name: Ethanolamine

Cat No.: M251-1; M251-4

**CAS No.:** 141-43-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Laboratory chemicals

**Uses advised against:** Food, drug, pesticide or biocidal product use.

1.3 Details of the supplier of the safety data sheet

**Company:** Krishna Solvechem Limited.

B/503, Sahayog, S. V. Road,

Kandivali (West), Mumbai – 400067. India.

**Telephone:** +91-22-6123 0222

**Email:** exports@kscl.co.in

1.4 Emergency telephone number

**Emergency Phone :** +91-8657457330

# **SECTION 2: Hazards identification**

#### 2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	(Category 4)
Acute oral and dermal toxicity	(Category 4)
Skin Corrosion/Irritation	(Category 1B)
Serious Eye Damage/Eye Irritation	(Category 1)
Specific target organ toxicity (single exposure)	(Category 3)
Target Organs - Respiratory system.	

#### 2.2 Label elements

Pictogram:



Signal word Danger

Hazard statement (s) Harmful if swallowed, in contact with skin or if inhaled



Combustible liquid
Causes severe skin burns
and eye damage
May cause respiratory irritation

Precautionary statement (s)

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep cool

#### Inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

## IF ON SKIN (or hair):

If skin irritation occurs: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated
clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse

#### Eyes:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion:

Rinse mouth. Do NOT induce vomiting.

## **Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage:

Store locked up Store in a well-ventilated place. Keep container tightly closed



Disposal:

Dispose of contents/container to an approved waste disposal

plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

# **SECTION 3: Composition / information on ingredients**

#### 3.1

Component	CAS-No	Weight %
Ethanolamine	141-43-	>95
	5	

# **SECTION 4: First aid measures**

4.1	Description of first aid measures		
	If inhalation:	Do not use mout	

Do not use mouth-to-mouth method if victim ingested or
inhaled the substance; give artificial respiration with the aid of a
pocket mask equipped with a one-way valve or otherproper
respiratory medical device. Remove from exposure, lie down.
Call a physician immediately. If not breathing, give artificial
respiration.

In case of skin contact: Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Get medical attention.

4.2 Most important symptoms and effects :

Ingestion:

Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Clean mouth with water and drink afterwards plenty of water.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**4.3** Notes to Physician : Treat symptomatically

# **SECTION 5: Firefighting effects**

## 5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-

resistant foam. Water mist may be used to cool closed

containers.

**Unsuitable Extinguishing** 

Media:

No information available

**5.2** Flash Point : 92 °C / 197.6 °F

**Method:** No information available



**Autoignition Temperature:** 450 °C / 842 °F

**Explosion Limits:** 

 Upper
 23.5% @ 140°C

 Lower
 3.0% @140°C

**Sensitivity to Mechanical** 

**Impact** 

No information available

Sensitivity to Static

Discharge

No information available

**Specific Hazards Arising from** 

the Chemical:

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode

when beeted

when heated.

**Hazardous Combustion** 

**Products:** 

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides

(NOx)

5.4 Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

**NFPA:** 

Health	Flammability	Instability	Physical hazards
3	2	1	N/A

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

## 6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition.



# 7.2 Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethanolamine	TWA: 3 ppm	(Vacated) TWA: 3	IDLH: 30 ppm	TWA: 3 ppm
	STEL: 6 ppm	ppm(Vacated) TWA: 8	TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		mg/m <sup>3</sup> (Vacated)	TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		STEL: 6 ppm(Vacated)	STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		STEL: 15 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	
		TWA: 3 ppm		
		TWA: 6 mg/m <sup>3</sup>		

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### 8.2 Exposure controls

## Personal protective equipment -

#### Eye / Face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

## Skin protection and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

## **Respiratory protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European StandardEN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice..

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Appearance Colorless Liquid b) Odour Fishy c) Odour Threshold No information available d) pH 12 @ 20°C 20 g/l aq. sol e) Melting point / freezing 10 °C / 50 °F point f) Initial boiling point and 170 °C / 338 °F @ 760 mmHg



boiling range	
g) Flash point	92 °C / 197.6 °F
h) Evaporation rate	> 1 (Butyl Acetate = 1.0)
i) Flammability (solid, gas)	Not applicable
j) Upper/lower	Upper : 23.5% @ 140°C
flammability or	Lower : 3.0% @140°C
explosive limits	
k) Vapour pressure	0.48 mmHg @ 20°C
l) Vapour density	2.1 (Air = 1.0)
m) Specific Gravity	1.012
n) Solubility	miscible
o) Partition coefficient: n octanol/water	No data available
p) Auto-ignition temperature	450 °C / 842 °F
q) Decomposition temperature	No information available
r) Viscosity	24 cP at 20 °C
s) Molecular formula	C2 H7 N O
t) Molecular Weight	61.08

	SECTION 10: Stability and Reactivity					
10.1	10.1 Reactive Hazard : None known, based on information available					
10.2	Chemical stability:	Hygroscopic. Air sensitive				
10.3	10.3 Possibility of hazardous None under normal processing. reactions:					
10.4	Conditions to avoid :	Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Exposure to air. Incompatible products. Exposure to moist air or water				
10.5	Incompatible materials:	Strong oxidizing agents				
10.6	Hazardous decomposition products :	Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)				
10.7	Hazardous Polymerization	Hazardous polymerization does not occur				



# **SECTION 11: Toxicological information**

#### 11.1

Information on toxicological effects

## **Acute toxicity:**

**Product Information:** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanolamine	olamine 1720 mg/kg ( Rat ) 1000 mg/kg ( Rab		LC50 > 1.3 mg/L (Rat) 6
		1 mL/kg ( Rabbit )	h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation: Causes burns by all exposure routes

**Sensitization:** No information available

**Carcinogenicity:** The table below indicates whether each agency ha

Any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethanolamine	141-43-	Not listed	Not	Not listed	Not listed	Not listed
	5		listed			

5	listed			
Mutagenic Effects:	No information available.			
Reproductive Effects:	No information available.			
Developmental Effects:	No information available.			
Teratogenicity:	No information available.			
STOT - single exposure :	Respiratory system			
STOT - repeated exposure:	None known			
Aspiration hazard :	No information available.			
Symptoms / effects,both acute and delayed:	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			
<b>Endocrine Disruptor Information:</b>	No information available			
Other Adverse Effects :	The toxicological properties have not been fully investigated.			



# **SECTION 12: Ecological information**

#### 12.1

## **Ecotoxicity:**

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

	<u> </u>				
	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
	Ethanolamine	EC50: 15 mg/L/72h	Leusiscus idus: LC50:	Pseudomonas putida:	EC50: 65 mg/L/48h
			>200mg/L/48h	EC50:110 mg/L/17 h	
			Salmo gairdneri:	Nitrosomonas: EC50:	
			LC50: 150mg/L/96h	12200mg/L/2 h	
				Photobacterium	
				phosphoreum: EC50:	
				13.7mg/L/30 min	
<b>12.2 Persistence and degradability:</b> Soluble in water Persis Available. Miscible wit			•	sed on information	
	Bioaccumulat Accumulation	•	No information available		
	Accumulation	ı			
12.3	Mobility:		Will likely be mobile in the environment due to its water		
			solubility. Log pow : -1.91		

# **SECTION 13: Disposal considerations**

**13.1 Waste treatment methods:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: Transport information**

14.1 UN number:

DOT: UN2491 TDG: UN2491 IATA: UN2491 IMDG: UN2491

14.2 UN proper shipping name

DOT: **ETHANOLAMINE** TDG: **ETHANOLAMINE** IMDG: **ETHANOLAMINE** IATA: **ETHANOLAMINE** 14.3 Transport hazard class(es) DOT: 8 TDG: 8 IMDG: 8 IATA: 8 TDG: III 14.4 Packaging group: DOT: III IMDG: III IATA: III

# **SECTION 15: Regulatory information**

#### 15.1 United states of America Inventory:

Component	CAS-No		TSCA Inventory notification Active/Inactive	TSCA - EPA Regulatory Flags
Ethanolamine	141-43-5	X	ACTIVE	-

## Legend:



**TSCA** - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories:**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia(AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethanolamine	141- 43-5	Х	-	205-483-3	Х	Х	Х	Х	Х	Х

## **U.S. Federal Regulations**

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and Not applicable

**Health Administration** 

**CERCLA** Not applicable

California Proposition 65 This product does not contain any Proposition 65

chemicals.

# 15.2 U.S. State Right-to-Know Regulations:

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethanolamine	X	Х	Х	Х	X

# **U.S. Department of Transportation**

Reportable Quantity (RQ): N



DOT Marine Pollutant N
DOT Severe Marine Pollutant N

**U.S. Department of Homeland** - This product does not contain the any DHS Chemicals. **Security** 

## **Other International Regulations**

Mexico – Grade Slight risk, Grade 1

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethanolamine	141-43-5	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III	Seveso III	Rotterdam	Basel
		Directive	Directive	Convention	Convention
		(2012/18/EC) -	(2012/18/EC) -	(PIC)	(Hazardous
		Qualifying	Qualifying		Waste)
		Quantitiesfor	Quantitiesfor		
		Major Accident	Safety Report		
		Notification	Requirements		
Ethanolamine	141-43-5	Not applicable	Not applicable	Not applicable	Not applicable

# **SECTION 16: Other information**

**16.1 Prepared By:** Regulatory affairs

Krishna Solvechem

Limited

**Email:** exports@kscl.co.in

Creation Date:23-Mar-2012Revision Date:19-Feb-2023Print Date:19-Feb-2023

**Revision Summary:** This document has been updated to comply with the US OSHA

HazCom 2012 Standard replacing the current legislation under29 C F R 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

#### 16.2 Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.