

MATERIAL SAFETY DATA SHEET (MSDS)

		SECTION 1: Identification						
1.1	Product identifiers							
	Product Name :	Di-n-propylamine						
	Cat No.:	L15808						
	CAS No. :	142-84-7						
1.2	Relevant identified uses of th	ises of the substance or mixture and uses advised against						
	Recommended uses :	Laboratory chemicals						
	Uses advised against:	Food, drug, pesticide or biocidal product use.						
1.3	Details of the supplier of the	safety data sheet						
	Company :	Krishna Solvechem Limited.						
		B/503, Sahayog, S. V. Road,						
		Kandivali (West), Mumbai – 400067. India.						
	Telephone :	+91-22-6123 0222						
	Email :	exports@kscl.co.in						
1.4	Emergency telephone number							
	Emergency Phone :	+91-8657457330						
	SEC1	TION 2: Hazards identification						
2.1	Classification							
	This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard							
	(29 CFR 1910.1200)							
	Flammable liquids	(Category 2)						
	Acute oral toxicity	(Category 4)						
	Acute dermal toxicity	(Category 3)						
	Acute inhalation toxicity – v	apors (Category 3)						

Acute inhalation toxicity – vapors Skin Corrosion/Irritation (Category 1 A) (Category 1) Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) (Category 3) Target Organs - Respiratory system. $\land \land \land$

2.2 Label elements

Pictogram :		
Signal word	Danger	
Hazard statement (s)	Highly flammable liquid and vapor	



	Harmful if swallowed
	Causes severe skin burns
	and eye damage
	May cause respiratory irritation
	Toxic in contact with skin or if unhaled
Precautionary	
statement (s)	
Prevention	
	Wash face, hands and any exposed skin thoroughly after
	handling Wear protective gloves/protective clothing/eye
	protection/face protection
	Avoid breathing dust/fume/gas/mist/vapors/spray
	Use only outdoors or in a well-ventilated area
	Keep away from heat/sparks/open flames/hot surfaces No smoking
	Keep container tightly closed
	Ground/bond container and receiving equipment
	Use explosion-proof electrical/ventilating/lighting/equipmer Use only non-sparking tools
	Take precautionary measures against static discharge
	Keep cool
	Inhalation :
	IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing Call a POISON CENTER or
	doctor/physician if you feel unwell
	IF ON SKIN (or hair):
	If skin irritation occurs: Get medical advice/attention
	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower
	Wash contaminated clothing before reuse
	Eyes:
	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing If eye irritation persists: Get medical advice/attentior
	Ingestion:
	Rinse mouth. Do NOT induce vomiting
	Fire
	In case of fire: Use CO2, dry chemical, or foam for extinction
	Storage:
	Store locked up Store in a well-ventilated place.
	Keep container tightly closed



Disposal:

Dispose of contents/container to an approved waste disposal plant None identified

Hazards not otherwise classified (HNOC)

SECTION 3: Composition / information on ingredients

3.1							
	Component	CAS-No	Weight %				
	Dipropylamine	142-84-7	>95				
	SE	CTION 4: First aid measures					
4.1	Description of first aid measures						
	General Advice:	If symptoms persist, call a phys	ician.				
	If inhalation : If not breathing, give artificial respiration. Do not use mout mouth method if victim ingested or inhaled the substance; artificial respiration with the aid of a pocket mask equipped a one-way valve or other proper respiratory medical device Remove to freshair. Immediate medical attention is require						
	In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.						
	In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.					
	Ingestion :	Clean mouth with water and drink afterwards plenty of water.					
4.2	Most important symptoms and effects :	Causes burns by all exposure ro concentrations may cause sym tiredness, nausea and vomiting material. Use of gastric lavage Possible perforation of stomac investigated: Ingestion causes damage to the delicate tissue a	ptoms like headache, dizziness, g: Product is a corrosive or emesis is contraindicated. th or esophagus should be severe swelling, severe				
4.3	Notes to Physician :	Treat symptomatically					
	S	ECTION 5: Firefigh effects					
5.1	Extinguishing media						
	Suitable extinguishing media :	Water spray, carbon dioxide (CC resistant foam. Water mist ma containers.					
	Unsuitable Extinguishing Media: :	No information available					
5.2	Flash Point :	7 °C / 44.6 °F					
	Method :	No information available					



	Autoignition Temperature: Explosion Limits:	260 °C / 500 °F					
	Upper	No data available No data available No information available					
	Lower						
	Sensitivity to Mechanical						
	Sensitivity to Static Discharge	No information available					
	Specific Hazards Arising from the Chemical : Hazardous Combustion Products :	om Thermal decomposition can lead to release of irritating and vapors. The product causes burns of eyes, skin and membranes. Flammable. Containers may explode whe Vapors may form explosive mixtures with air. Vapors r to source of ignition and flash back. Carbon monoxide (CO). Carbon dioxide (CO2). Nitroge					
5.4	Protective Equipment and Precautions for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.					
	NFPA:	Health	Flammability	Instability	Physical hazards		
3 3 1				N/A			
		L					

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system

6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignitionof vapors by



	static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.					
7.2	Conditions for safe storage					
	Keep away from heat, sparks dry and well-ventilated place	and flame. Flammables area. Keep container tightly closed in a . Corrosives area				
		Exposure controls/personal protection				
8.1	Exposure Guidelines This product does not contain limits established by the regio	n any hazardous materials with occupational exposure on specific regulatory bodies.				
	and safety showers are close	l/ventilating/lighting/equipment. Ensure that eyewash stations to the workstation location. Ensure adequate ventilation, Jse only under a chemical fume hood.				
8.2	Exposure controls					
	OSHA's eye and face pro EN166. Skin protection and bo Wear appropriate prote Respiratory protection Follow the OSHA respira 149. Use a NIOSH/MSH limits are exceeded or in Hygiene Measures Handle in accordance w	ective eyeglasses or chemical safety goggles as described by otection regulations in 29 CFR 1910.133 or European Standard dy protection ective gloves and clothing to prevent skin exposure. ator regulations found in 29 CFR 1910.134 or European StandardEN A or European Standard EN 149 approved respirator if exposure f irritation or other symptoms are experienced.				
• •		9: Physical and chemical properties				
9.1	Information on basic physica					
	a) Appearance	Colorless Liquid				
	b) Odour	Ammonia like				
	c) Odour Threshold	No information available				
	d) pH e) Melting point / freezing point	No information available -63 °C / -81.4 °F				
	point					



boiling range	
g) Flash point	7 °C / 44.6 °F
h) Evaporation rate	No information available
i) Flammability (solid, gas)	Not applicable
j) Upper/lower	No data available
flammability or	No data available
explosive limits	
k) Vapour pressure	27 mbar @ 20 °C
l) Vapour density	3.5 (Air = 1.0)
m) Specific Gravity	0.74
n) Solubility	Soluble in water
o) Partition coefficient: n	No data available
octanol/water	
p) Auto-ignition	260 °C / 500 °F
temperature	
q) Decomposition	No information available
temperature	
r) Viscosity	0.5 mPa.s @ 20°C
s) Molecular formula	C6 H15 N
t) Molecular Weight	101.19

SECTION 10: Stability and Reactivity

10.1	Reactive Hazard :	None known, based on information available
10.2	Chemical stability :	Hygroscopic
10.3	Possibility of hazardous reactions :	None under normal processing.
10.4	Conditions to avoid :	Keep away from open flames, hot surfaces and sources of ignition. Exposure to moisture
10.5	Incompatible materials:	Strong oxidizing agents, Acids
10.6	Hazardous decomposition products :	Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides
10.7	Hazardous Polymerization	Hazardous polymerization does not occur



SECTION 11: Toxicological information							
	550		ΙΟΧΙΟΟΙ	ogic	al mormatic	חכ	
11.1 Information on toxic	ological ef	fects					
Acute toxicity:	ological el	ieus					
Product Information:	:						
Component Informat							
Component		050 Oral		LD50 Dermal LC50 Inhalation			
Dipropylamine	LD50 =	= 300 mg/kg (I	Rat)	LD50 = 1250 mg/kg (Rabbit)LD50 = 925)4 h		4400 mg/m ³ (Rat	
Tovicologically Supar	aistic Drog	lucto	NI		⁽ kg (Rabbit) ormation availa	blo	
Toxicologically Syner	-						g-term exposure
Delayed and m	meulate	enects as w	en as cin	Onic	<u>enects nom s</u>		g-term exposure
Irritation :			Ca	ause	s burns by all ex	kposure rout	es
Sensitization:			N	o inf	ormation availa	ible	
Carcinogenicity	<i>ı</i> :		Tł	ne ta	ble below indic	ates whethe	r each agency ha
					gredient as a ca		
Component	CAS-No	IARC	NTP		ACGIH	OSHA	Mexico
Dipropylamine	142-84-	Not listed	Not		Not listed	Not listed	Not listed
	7		listed				
Mutagenic Effe	ects:		No i	No information available.			
Reproductive E	Reproductive Effects:			nfor	mation availabl	e.	
Developmenta	l Effects :		No information available.				
Teratogenicity	:		No information available.				
STOT - single ex	xposure :		Respiratory system				
STOT - repeate	d exposur	e:	None known				
Aspiration haza	ard :		No information available.				
Symptoms / effects,both acute and delayed:			Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue anddanger of perforation				
Endocrine Disruptor Information : Other Adverse Effects :			No information available The toxicological properties have not been fully investigated.				



SECTION 12: Ecological information

12.1

Ecotoxicity:

Contains a substance which is:. The product contains following substances which are hazardous for the environment.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
12.2	Dipropylamine	EC50 = 5.4 mg/L, 72h (Desmodesmus subspicatus) EC50 = 2 mg/L, 96h (Desmodesmus subspicatus) nd degradability:	Leucidus idus: LC50: 100-500 mg/L 48h	EC50 = 190 mg/L 17 h	EC50 = 73 mg/L, 48h (Daphnia magna)
	Bioaccumulat Accumulatior	-	No information av	vailable	
12.3	Mobility:		Will likely be mob solubility. Log low	ile in the environment / : 1.33	due to its water
		SECTIO	N 13: Disposal co	nsiderations	
		national hazardou	s waste regulations	al waste generators mu to ensure complete an	
		SECTIO	N 14: Transport	Information	
	UN number : DOT : UN2383 IATA : UN238	3 IMDG : UN2			
14.2	UN proper shi	pping name			
	DOT : DIPRO	PYLAMINE	TDG : DIPROPYLA	MINE	
	IMDG : Dipro	pylamine I	ATA: Dipropylar	nine	
1/1 2	Transport haz	zard class(es)	ADR/RID: 3	IMDG: 3	
14.3					IATA: 3
	Packaging gro	oup: A	ADR/RID: II	IMDG: II	IATA: 3 IATA: II
	Packaging gro	-	ADR/RID: II N 15: Regulatory		
14.4		-	N 15: Regulatory		
14.4		SECTIOI of America Invent	N 15: Regulatory ory:		IATA: II TSCA - EPA
14.4	United states	SECTION of America Inventer ent CAS-No	N 15: Regulatory ory: D TSCA	information TSCA Inventory notification	IATA: II



TSCA - Toxic Substances Control Act, (40 CFR Part 710)				
X - Listed				
'-' - Not Listed				
TSCA 12(b) - Notices of Export	Not applicable			

International Inventories:

U.S. Federal Regulations

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Dipropyl amine	142- 84-7	х	-	205-565-9	x	x	x	х	KE-12222

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA This n	naterial, as supplied, contains one or
more substances regulated as a hazardous substance unde	er the Comprehensive Environmental
Response Compensation and LiabilityAct (CERCLA) (40 CFR	302)

	Component		Hazardous Substances RQs			CERCLA EHS RQs			
	Dipropylamine		5000 lb		-				
	California Propositio chemicals.	n 65	This product does not contain any Proposition 65						
5.2 l	U.S. State Right-to-Kr	now Regu	lations:						
	Component	Massa	chusetts	New Jersey	Pennsylvania	Illinois	Rhode Island		
	Component Dipropylamine	Massa	chusetts X	_	Pennsylvania X	Illinois -			

```
Reportable Quantity (RQ): Y
```



	DOT Marine Pollutant DOT Severe Marine Pollutant	N N
	U.S. Department of Homelan Security	d - This product does not contain the any DHS Chemicals.
<u>(</u>	Other International Regulatio	uns de la companya de
	Mexico – Grade	Serious risk, Grade 3
	SEC	CTION 16: Other information
16.1	Prepared By:	Regulatory affairs Krishna Solvechem Limited
l	Email:	exports@kscl.co.in
	Creation Date: Revision Date: Print Date: Revision Summary:	23-Mar-2012 19-Jun-2023 19-Jun-2023 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation
		under29 C F R 1910.1200 to align with the Globally Harmonized System ofClassification and Labeling of Chemicals (GHS).
16.2 C	Disclaimer:	
	The information provided in information and belief at the	this Safety Data Sheet is correct to the best of our knowledge date of its publication. The information given is designed only a e, processing, storage, transportation, disposal and release and

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.