

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification

1.1 Product identifiers

Product Name: Mono cyclohexylamine

Cat No.: AC111280000; AC111280010; AC111280025; AC111280050;

AC111280100; AC111282500

CAS No.: 108-91-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Laboratory chemicals

Uses advised against: Food, drug, pesticide or biocidal product use.

1.3 Details of the supplier of the safety data sheet

Company: Krishna Solvechem Limited.

B/503, Sahayog, S. V. Road,

Kandivali (West), Mumbai – 400067. India.

Telephone: +91-22-6123 0222
Email: exports@kscl.co.in

1.4 Emergency telephone number

Emergency Phone: +91-8657457330

SECTION 2: Hazards identification

2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

·	
Flammable liquids	(Category 3)
Acute oral toxicity	(Category 4)
Acute dermal toxicity	(Category 3)
Skin Corrosion/Irritation	(Category 1 B)
Serious Eye Damage/Eye Irritation	(Category 1)
Specific target organ toxicity (single exposure)	(Category 3)
Target Organs - Respiratory system.	

2.2 Label elements

Pictogram:

Signal word Danger

Hazard statement (s) Flammable liquid and vapor

Causes severe skin burns and eye damage



Harmful if swallowed
Toxic in contact with skin
Suspected of damaging
fertility
May cause respiratory irritation

Precautionary statement (s)

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting/equipment
Use only non-sparking tools

Take precautionary measures against static discharge Keep cool

Inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

IF ON SKIN (or hair):

If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Eyes:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention **Ingestion:**

Rinse mouth. Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage:

Store locked up Store in a well-ventilated place. Keep container tightly closed



Disposal:

Dispose of contents/container to an approved waste disposal

plant

Hazards not otherwise classified (HNOC)

None identified

SECTION 3: Composition / information on ingredients

3.1

Component	CAS-No	Weight %
1-Bromo-2-methylpropane (By GC)	78-77-3	98% Minimum

	SECTION 4: First aid measures					
4.1	Description of first aid measures					
	General Advice:	If symptoms persist, call a physician.				
	If inhalation :	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to freshair. Immediate medical attention is required.				
	In case of skin contact :	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.				
	In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
	Ingestion:	Clean mouth with water and drink afterwards plenty of water.				
4.2	Most important symptoms and effects :	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus shouldbe investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				
4.3	Notes to Physician :	Treat symptomatically				
	SEC	CTION 5: Firefighting effects				
5.1	Extinguishing media					
	Suitable extinguishing media:	carbon dioxide (CO2), dry chemical, dry sand, alcohol- resistant foam. Water mist may be used to cool closed containers.				
	Unsuitable Extinguishing Media:	No information available				
5.2	Flash Point : Method :	27 °C / 80.6 °F CC (Closed cup)				



Autoignition Temperature: 293 °C / 559.4 °F

Explosion Limits:

UpperNo data availableLowerNo data available

Sensitivity to Mechanical

Impact

No information available

Sensitivity to Static

Discharge

No information available

Specific Hazards Arising from

the Chemical:

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel

to source of ignition and flash back.

Hazardous Combustion

Products:

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides

5.4 Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

NFPA:

Health	Flammability	Instability	Physical hazards
3	3	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system

6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.



7.2 Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents

SECTION 8: Exposure controls/personal protection

8.1 Exposure Guidelines

OIL TWACTOR C						
Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)		
Cyclohexylamine	TWA: 10 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 40 mg/m ³	TWA: 10 ppm TWA: 40 mg/m ³	TWA: 10 ppm		

Engineering Measures

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use only under a chemical fume hood.

8.2 Exposure controls

Personal protective equipment -

Eye / Face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European StandardEN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice..

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Appearance Colorless Liquid b) Odour Fishy c) Odour Threshold No information available d) pH 11.5 100 g/L aq.sol e) Melting point / freezing -17 °C / 1.4 °F point f) Initial boiling point and 133 - 134 °C / 271.4 - 273.2 °F



boiling range	
g) Flash point	27 °C / 80.6 °F (Closed cup)
h) Evaporation rate	No information available
i) Flammability (solid, gas)	Not applicable
j) Upper/lower flammability or	No data available No data available
explosive limits	
k) Vapour pressure	13 mbar @ 20 °C
l) Vapour density	No information available
m) Specific Gravity	0.867
n) Solubility	Soluble in water
o) Partition coefficient: n octanol/water	No data available
p) Auto-ignition temperature	293 °C / 559.4 °F
q) Decomposition temperature	No information available
r) Viscosity	2.4 mPa.s @ 20°C
s) Molecular formula	C6 H13 N
t) Molecular Weight	99.18
·	

SECTION 10: Stability and Reactivity				
Reactive Hazard :	None known, based on information available			
Chemical stability:	Stable under normal conditions.			
Possibility of hazardous reactions :	None under normal processing.			
Conditions to avoid:	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.			
Incompatible materials:	Strong oxidizing agents			
Hazardous decomposition products:	Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides			
Hazardous Polymerization	Hazardous polymerization does not occur			
	Reactive Hazard : Chemical stability : Possibility of hazardous reactions : Conditions to avoid : Incompatible materials: Hazardous decomposition products :			



SECTION 11: Toxicological information

11.1

Information on toxicological effects

Acute toxicity:

Product Information:

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexylamine	LD50 = 432 mg/kg	277 mg/kg (Rabbit)	LC50 = 1000 ppm (Rat)
	(Rat)		16 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation: No information available

Sensitization: No information available

Carcinogenicity: The table below indicates whether each agency ha

Any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexyl	108-91-	Not listed	Not	Not listed	Not listed	Not listed
amine	8		listed			

Mutagenic Effects:	No information available.
Reproductive Effects:	No information available.
Developmental Effects:	No information available.
Teratogenicity:	No information available.
STOT - single exposure :	Respiratory system
STOT - repeated exposure:	None known
Aspiration hazard :	No information available.
Symptoms / effects,both acute and delayed:	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information:	No information available
Other Adverse Effects :	The toxicological properties have not been fully investigated.



SECTION 12: Ecological information

12.1

Ecotoxicity:

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

000	6 strong and the stro					
C	omponent	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Cyclol	nexylamine	EC50: = 20 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 20 mg/L, 96h static (Pseudokirchneriella	LC50: 44 - 90 mg/L, 96h (Oncorhynchus mykiss) LC50: = 470 mg/L, 96h static	EC50 = 120 mg/L 30 min	Not listed	
12.2	Persistence a	subcapitata) nd degradability:	(Brachydanio rerio) Persistence is unlikel	<u> </u>		
	Bioaccumulat Accumulation	•	No information available			
12.3	Mobility:		Will likely be mobile in the environment due to its water			

SECTION 13: Disposal considerations

solubility. Log pow: 1.2

13.1 Waste treatment methods: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

14.1 UN number:

DOT: UN2357 TDG: UN2357 IATA: UN2357 IMDG: UN2357

14.2 UN proper shipping name

DOT: CYCLOHEXYLAMINE TDG: CYCLOHEXYLAMINE

IMDG: CYCLOHEXYLAMINE IATA: CYCLOHEXYLAMINE

14.3 Transport hazard class(es) DOT: 8 TDG: 8 IMDG: 8 IATA: 8

14.4 Packaging group: DOT: II TDG: II IMDG: II IATA: II

SECTION 15: Regulatory information

15.1 United states of America Inventory:

Component	CAS-No	TSCA	TSCA Inventory notification Active/Inactive	TSCA - EPA Regulatory Flags
Cyclohexylamine	108-91-8	Х	ACTIVE	-
Legend:				



TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories:

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cyclohexyl amine	108- 91-8	Х	-	203-629-0	Х	Х	Х	Х	Х	KE-09215

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Not applicable

Health Administration

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and LiabilityAct (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Cyclohexylamine	-	10000 lb

California Proposition 65 This product does not contain any Proposition 65 chemicals.

15.2 U.S. State Right-to-Know Regulations:

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cyclohexylamine	X	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ): N



DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland - This product contains the following DHS Chemicals:

Security

Component	DHS Chemical Facility Anti-Terrorism Standard
Cyclohexylamine	Release STQs - 15000lb

Other International Regulations

Mexico – Grade Serious risk, Grade 3

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cyclohexyla mine	108-91-8	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention

-component		Directive (2012/18/EC) - Qualifying Quantitiesfor Major Accident Notification	Directive (2012/18/EC) - Qualifying Quantitiesfor Safety Report Requirements	Convention (PIC)	Convention (Hazardous Waste)
Cyclohexyla mine	108-91-8	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 16: Other information

16.1 Prepared By: Regulatory affairs

Krishna Solvechem

Limited

Email: exports@kscl.co.in

Creation Date:23-Mar-2012Revision Date:19-july-2023Print Date:19-julu-2023

Revision Summary: This document has been updated to comply with the US OSHA

HazCom 2012 Standard replacing the current legislation under29 C F R 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

16.2 Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

